


| Ref # | Hits | Search Query | DBs | Default Operator | Plurals | Time Stamp |
|-------|---------|---|---|------------------|---------|------------------|
| S25 2 | 65 | genetic\$4 and 709/223-226.ccls. | US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB | OR | OFF | 2005/09/15 08:27 |
| S25 3 | 11 | genetic\$4 near10 optimiz\$6 and 709/223-226.ccls. | US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB | OR | OFF | 2005/09/15 09:16 |
| S25 4 | 2 | complet\$4 near5 search near10 optimiz\$6 and 709/223-226.ccls. | US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB | OR | OFF | 2005/09/15 08:35 |
| S25 5 | 2927527 | complet\$4 adjsearch same optimiz\$6 and 709/223-226.ccls. | US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB | OR | OFF | 2005/09/15 08:35 |
| S25 6 | 1 | complet\$4 adj search same optimiz\$6 and 709/223-226.ccls. | US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB | OR | OFF | 2005/09/15 08:35 |
| S25 7 | 30 | complet\$4 adj search and 709/223-226.ccls. | US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB | OR | OFF | 2005/09/15 08:36 |
| S25 8 | 2 | complet\$4 adj search same optimiz\$7 and "709"/\$.ccls. | US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB | OR | OFF | 2005/09/15 08:36 |
| S25 9 | 63727 | method\$4 near10 optimiz\$6 select\$4 and 709/223-226.ccls. | US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB | OR | OFF | 2005/09/15 09:17 |
| S26 0 | 24 | method\$4 near10 optimiz\$6 near10 select\$4 and 709/223-226. ccls. | US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB | OR | OFF | 2005/09/15 09:21 |



| | | | | | | |
|----------|---------|---|---|----|-----|------------------|
| S26 1 | 21 | method\$4 near10 optimiz\$6 near10 user\$1 and 709/223-226. ccls. | US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB | OR | OFF | 2005/09/15 09:46 |
| S26 2 | 24 | select\$4 near10 optimiz\$6 near10 user\$1 and 709/223-226.ccls. | US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB | OR | OFF | 2005/09/15 09:20 |
| S26 3 | 4034968 | select\$4 method\$4 near10 optimiz\$6 near10 plural\$4 and 709/223-226.ccls. | US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB | OR | OFF | 2005/09/15 09:21 |
| S26 4 | 2 | select\$4 near10 method\$4 near10 optimiz\$6 near10 plural\$4 and 709/223-226.ccls. | US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB | OR | OFF | 2005/09/15 09:22 |
| S26 5 | 183 | select\$4 near10 method\$4 near10 optimiz\$6 near10 plural\$4 | US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB | OR | OFF | 2005/09/15 09:23 |
| S26 6 | 0 | "709"/\$.ccls. and select\$4 near10 genetic\$4 near10 search\$4 near10 user\$4 | US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB | OR | OFF | 2005/09/15 09:23 |
| S26 7 | 1 | "709"/\$.ccls. and select\$4 near10 genetic\$4 near10 search\$4 | US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB | OR | OFF | 2005/09/15 09:26 |
| S26 8 | 0 | "709"/\$.ccls. and optimiz\$4 near10 genetic\$4 near10 search\$4 same select\$4 | US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB | OR | OFF | 2005/09/15 09:27 |
| S26 9 | 2 | "709"/\$.ccls. and optimiz\$8 near10 genetic\$4 near10 search\$4 same select\$4 | US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB | OR | OFF | 2005/09/15 09:29 |
| S27 0 | 9 | "709"/\$.ccls. and user\$4 near10 select\$4 near10 optimiz\$8 near10 method\$4 | US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB | OR | OFF | 2005/09/15 09:41 |

| | | | | | | |
|----------|-----|--|---|----|-----|------------------|
| S27 1 | 24 | "709"/\$.ccls. and annealing near10 optimiz\$6 | US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB | OR | OFF | 2005/09/15 09:41 |
| S27 2 | 25 | method\$4 near10 optimiz\$6 near10 user\$1 and "716".clas. | US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB | OR | OFF | 2005/09/15 09:47 |
| S27 3 | 2 | method\$4 near10 optimiz\$6 near10 user\$1 near10 (choos\$4 select\$4) and "716".clas. | US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB | OR | OFF | 2005/09/15 09:48 |
| S27 4 | 60 | optimiz\$6 near10 user\$1 near10 (choos\$4 select\$4) and "716".clas. | US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB | OR | OFF | 2005/09/15 12:27 |
| S27 5 | 131 | user\$1 near10 select\$4 near10 (genetic simulated adj annealing) | US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB | OR | OFF | 2005/09/15 12:29 |
| S27 6 | 3 | user\$1 near10 select\$4 near10 (simulated adj annealing) | US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB | OR | OFF | 2005/09/15 12:32 |
| S27 7 | 5 | "6418398" | US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB | OR | OFF | 2005/09/15 12:38 |
| S27 8 | 74 | (user\$4 client\$1) near10 select\$4 near10 algorithm same optimiz\$4 | US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB | OR | OFF | 2005/09/15 13:00 |
| S27 9 | 3 | (user\$4 client\$1) near10 select\$4 near10 simulat\$4 near5 annealing | US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB | OR | OFF | 2005/09/15 12:52 |
| S28 0 | 59 | "5694484" | US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB | OR | OFF | 2005/09/15 13:23 |

| | | | | | | |
|----------|-------|--|---|----|-----|------------------|
| S28 1 | 0 | "complete search" same simulat\$6 near5 anneal\$4 | US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB | OR | OFF | 2005/09/15 13:24 |
| S28 2 | 2 | "6889956" | US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB | OR | OFF | 2005/09/15 13:40 |
| S28 3 | 17 | "5889956" | US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB | OR | OFF | 2005/09/15 13:40 |
| S28 4 | 0 | "709"/\$.ccls. and select\$4 near10 genetic\$4 near10 search\$4 near10 user\$4 | US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB | OR | OFF | 2005/09/15 13:59 |
| S28 5 | 16 | 709/238-244.ccls. and 370/351-430.ccls. and "712"/\$. ccls. | US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB | OR | OFF | 2005/09/15 13:59 |
| S28 6 | 796 | 709/238-244.ccls. and 370/351-430.ccls. | US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB | OR | OFF | 2005/09/15 13:59 |
| S28 7 | 30587 | 370/351-430.ccls. | US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB | OR | OFF | 2005/09/15 13:59 |
| S28 8 | 11956 | (co adj processor\$4 coprocessor\$4) | US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB | OR | OFF | 2005/09/15 13:59 |
| S28 9 | 1 | 718/102-105.ccls. and 709/238-244.ccls. and S288 | US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB | OR | OFF | 2005/09/15 13:59 |